

Документ подписан простой электронной подписью
Информация о владельце:
ФИО: Стегний Кирилл Владимирович
Должность: И.о. ректора
Дата подписания: 07.07.2026 11:19:52
Уникальный программный ключ:
d59234ba928aea5c04c54eb9013e367220bcb2a8

Federal State Budget Educational Institution
of Higher Education
Pacific State Medical University
of the Ministry of Health of the Russian Federation

APPROVED BY

Director of the Institute
of Clinical Neurology and Medical
Rehabilitation

 / Shestopalov E. Yu./
“14th” of April 2025

COLLECTION OF ASSESSMENT TOOLS

**B2.O.03(Y) Introductory practical training (Medical rehabilitation and disease prevention)
of the basic educational program
of Higher Education**

Specialty

**31.05.01 General Medicine
for international students (in English)**
(code, name)

Degree

Specialist's degree

Profile

02 "Healthcare"
(in the field of providing primary health care to the population in medical organizations: polyclinics, outpatient clinics, inpatient/outpatient facilities of the municipal health care system)

Mode of study

Full-time

Period of mastering the BEP

6 years
(nominal length of study)

Institute

of Clinical Neurology and Medical
Rehabilitation

Vladivostok, 2025

1. INTRODUCTION

1.1. Collection of Assessment Tools is a document that regulates the format, content, and types of assessment tools for continuous assessment, interim examination and final (state final) examination, and graded criteria for each type of assessment tools.

1.2. Assessment tools allows to evaluate the development of universal, general professional, and professional competencies (UCs, GPCs and PCs respectively) outlined in Federal State Educational Standard of Higher Education and defined in the basic educational program of higher education for the specialty 31.05.01 General Medicine for international students (in English), profile 02 "Healthcare" (in the field of providing primary health care to the population in medical organizations: polyclinics, outpatient clinics, inpatient/outpatient facilities of the municipal health care system).

([BEP HE for the 31.05.01 General Medicine for international students \(in English\) specialty, section 3 Learning Outcomes Requirements of the Basic Educational Program of Higher Education](#))



2. DOCUMENT BODY

2.1. Types of Assessment, Formats of Assessment Tools

No.	Types of assessment	Assessment Tools Format
1	Continuous assessment	Tests
		Checklists
		Maintaining the Practical Training Log
		Independent work and individual assignment
		Research activity
		Preparation of sketches of leaflets on developing healthy lifestyle skills and correcting risk factors of the most common diseases
2	Interim assessment	Tests
		Maintaining the Practical Training Log
		Research activity summary
		Review of the training supervisor
		Independent work of the student and individual assignment results
		Mastery of the practical skills

3. The contents of assessment tools for continuous and interim examination are prepared by the teacher of the course

Assessment tool 1

	Code	Competence description / name of labor function / name of work activity / text
S	31.05.01	General Medicine for international students (in English)

C	GPC-8	Is able to implement and monitor medical rehabilitation of a patient, including implementation of individual rehabilitation programs and habilitation programs for people with disabilities, as well as assess ability to work of a patient
I		ANSWER LEVEL 1 TEST QUESTIONS (ONE CORRECT ANSWER)
		1. Function of an organ, system of organs, or the organism as a whole is assessed using the 1) method of anthropometric standards 2) index method 3) functional tests 4) correlation method 2. Simple functional tests include 1) squatting submaximal fitness test 2) Maximal Voluntary Inspiratory Breath-Holding Time (MVIBHT) Test 3) Ruffier test 4) Troitsky test 3. Functional tests are conducted and assessed by 1) a nurse 2) a doctor 3) a member of junior medical personnel 4) an instructor 4. Anthropometric data allows to assess 1) physical fitness 2) social health 3) mental development 4) overall health 5. At the first stage of rehabilitation, a patient with low rehabilitation potential should be referred to 1) palliative care department 2) nursing unit 3) second stage of rehabilitation 4) an outpatient clinic under a doctor's supervision 6. The type of breathing exercises that promotes transportation of bronchial secretion into trachea is called 1) Airway Clearance Techniques 2) dynamic exercise 3) static exercise 4) mixed exercise 7. Active dynamic exercise is made easier using 1) exercising in water 2) exercise equipment 3) gymnastic apparatus 4) exercise machines 8. Rehabilitation diagnosis is made using the 1) ICD-10

	2) ICD-11 C) International Classification of Functioning, Disability and Health (ICF) D) nosology classification 9. Multidisciplinary rehabilitation team does NOT include 1) a speech therapist 2) a district doctor 3) a medical psychologist 4) a profile specialist 10. Individual rehabilitation program is developed by the 1) multidisciplinary rehabilitation team 2) head of the department 3) district doctor 4) disability examination specialist 11. When walking with a cane, the movement should begin with 1) the cane 2) the impaired leg 3) the healthy leg 4) either of the above 12. The patient position in a bed with raised head end is called 1) Fowler's position 2) Sims' position 3) Johnson's position 4) Henderson's position 13. Regulatory framework of medical rehabilitation are outlined in the 1) Federal Law No.323 2) obligatory medical insurance policy 3) Russian Federation Family Code 4) regulatory acts of the medical facility 14. A specific movement regimen is prescribed to a patient by 1) a doctor 2) a ward nurse 3) the patient themselves 4) the head nurse 15. Interventions that facilitate increased mobility of the patients include 1) regularly changing patient position in bed 2) injections 3) talking with the patient 4) changing bed linen
	ANSWER LEVEL 2 TEST QUESTIONS (MULTIPLE CORRECT ANSWERS)
	1. Anthropometric data is collected using

		1) scales 2) stadiometer 3) dynamometer 4) measuring tape 2. Non-pharmaceutic treatment methods include 1) massage 2) physical therapy 3) mineral waters 4) injections 3. Natural therapeutic factors used in health resort treatment include 1) climatotherapy 2) pelotherapy 3) balneation 4) electrotherapy 4. Contraindications for massage therapy include 1) 38°C fever 2) BP 150/90 mmHg 3) purulent processes 4) low muscle tone 5. Movement regimens at the inpatient stage of rehabilitation include 1) strict bed rest 2) semi-strict bed rest 3) moderate physical activity 4) increased physical activity 6. Criteria for transferring a patient from strict bed rest to semi-lying movement regimen 1) positive improvements in the patient's condition 2) positive functional tests 3) patient's request 4) lack of junior medical personnel 7. Rehabilitation equipment for patients with impaired functioning of the musculoskeletal system includes 1) cane 2) crutches 3) biotonic orthotic device 4) seeing-eye dog 8. The choice of crutches is impacted by 1) the patient's age 2) the patient's weight 3) the patient's sex 4) the patient's request
I		ANSWER LEVEL 3 TEST QUESTIONS (MATCHING QUESTIONS)
		1. Match the following

		Functional test or an indicator	Methodology of the test or calculation of the indicator
		1 Body Mass Index	A) VC in mL per 1 kg of body mass
		2 Orthostatic test	B) Breath-holding test
		3 Pulmonary capacity-body mass index	C) Functional test with 20 squats in 30 seconds
		4 Maximal Voluntary Inspiratory Breath-Holding Time (MVIBHT) Test	D) Functional test with changing body position
		5 Squatting submaximal fitness test	E) Body mass in grams per 1 cm of height
			F) Reflects the strength of flexors of the hand in kg relative to body mass
		2. Match the following	
		Anthropometric indicator	Equipment
		1 VC	A) Dynamometer
		2 Muscle strength	B) Spirometer
		3 Height	C) Scales
		4 Chest circumference	D) Stadiometer
			E) measuring tape
		3. Match the following	
		Muscle contraction type	Physiological changes in the muscle
		1 Concentric contraction	A) Muscle stretches/lengthens
		2 Eccentric contraction	B) Muscle length remains the same, but muscle strain increases
		3 Isometric contraction	C) Muscle shortens
		4. Match the following	
		1 A type of physical therapy	A) Physical exercise
		2 A means of physical therapy	B) Morning exercise
		3 Adaptation to physical exercise	C) Group exercise
		4 Development of complex movement skills	D) Learning to walk with a cane
		5. Match the following	
		Rehabilitation goal	Exercise
		1 Preparation for restoration of simple day-to-day skills	A) Sports and applied exercise
		2 Restoration of movement skills	B) Exercise in the sphere of daily living (brushing hair, eating, washing one's face)
		3 Adaptation to physical exercise	C) Sitting, standing, walking with a walker / walking frame or a cane
		4 Development of complex movement skills	D) Walking, running, skiing, swimming

Assessment criteria

“Very good” – 90-100% correct answers of questions of every level

“Good” - 80-89% correct answers of questions of every level

“Satisfactory” - 70-79% correct answers of questions of every level

“Unsatisfactory” - less than 70% correct answers of questions of every level

Assessment tool 2**Practical Skills Assessment Checklist**

Practical Skill Name "Measuring blood pressure"

C	GPC-8	Is able to implement and monitor medical rehabilitation of a patient, including implementation of individual rehabilitation programs and habilitation programs for people with disabilities, as well as assess ability to work of a patient	
	Action	Performed	Not Performed
1.	Offer (help) the patient to get in a comfortable position on the examination couch (lying on one's back, legs straight, arms not flexed)	1 point	0 points
2.	Pull up the patient's sleeve above their elbow, leaving one layer of clothing	1 point	0 points
3.	Place the cuff of the sphygmomanometer on the patient's upper arm	1 point	0 points
4.	Make sure two fingers can fit between the cuff and the surface of the patient's upper arm	1 point	0 points
5.	Make sure that the lower edge of the cuff is 2.5 cm above the patient's cubital fossa	1 point	0 points
6.	Place two fingers of one's left hand on the patient's wrist in order to assess radial pulse	1 point	0 points
7.	Tighten the air valve of the bulb of the sphygmomanometer with one's other hand	1 point	0 points
8.	Inflate the cuff of the sphygmomanometer using the bulb until radial pulse disappears	1 point	0 points
9.	Take note of the measurement on the pressure gauge the moment radial pulse disappears	1 point	0 points
10.	Deflate the sphygmomanometer cuff by loosening the air valve	1 point	0 points
11.	Place the head of the stethoscope diaphragm-down on the projection of the ulnar artery in the patient's cubital fossa, apply light pressure	1 point	0 points
12.	Inflate the sphygmomanometer cuff again until the measurement on the pressure gauge exceeds previous measurement by 30 mmHg	1 point	0 points
13.	Slowly deflate the sphygmomanometer cuff without moving the head of the stethoscope	1 point	0 points
14.	Take note of the measurement on the pressure gauge the moment the first Korotkoff sound appears (systolic blood pressure)	1 point	0 points
15.	Take note of the measurement on the pressure gauge the moment the last clear Korotkoff sound disappears (diastolic blood pressure)	1 point	0 points
16.	Control the disappearance of the sounds by continuing the auscultation until the pressure drops 15-20 mmHg after the last sound	1 point	0 points
17.	Deflate the sphygmomanometer cuff by loosening the air valve	1 point	0 points
18.	Remove the sphygmomanometer cuff from the patient's arm	1 point	0 points
19.	Tell the patient the results of the measurement	1 point	0 points
20.	Write down the result in the patient's medical record	1 point	0 points
	Total	20 points	

Final grade: "Pass" / "Fail"

Assessment criteria:

"Pass" - at least 75% of required actions performed

"Fail" - 74% of required actions or less performed

Assessment tool 3: Practical Training Log

Assessment tool 4: Research activity (research activity summary)

Assessment tool 5: Independent work of the student and individual assignment

Assessment tool 6: Review of the training supervisor

4. Assessment criteria for learning outcomes

"Very good" grade is given to a student who possesses knowledge of the subject in full scope outlined in the curriculum, has a sufficiently deep insight into the subject; is able to answer all questions clearly, exhaustively, and with no outside help; structures their answers logically, with emphasis on the most important information; is able to analyze, compare, classify, summarize, refine, and structure the course content, giving particular attention to cause-and-effect relationships.

"Good" is given to a student whose knowledge of the subject is almost in full scope outlined in the curriculum (gaps are only present in the knowledge of some especially complex aspects); is able to answer questions exhaustively with little to no outside help; does not always put emphasis on the most important information, but does not make significant mistakes.

"Satisfactory" is given to a student who possesses the bulk of knowledge on the subject; has difficulties answering questions with no outside help, uses imprecise wording; makes mistakes in substantial number of their answers.

"Unsatisfactory" is given to a student who does not have the mandatory minimum of knowledge on the subject, is not able to give an answer even with additional guiding questions.