


Документ подписан простой электронной подписью
Информация о владельце:
ФИО: Стегний Кирилл Владимирович
Должность: И.о. ректора
Дата подписания: 15.04.2026 12:11:59
Уникальный программный ключ:
d59234ba928aea5c04c54eb9013e367220bcb2as

Federal State Budget Educational Institution
of Higher Education
Pacific State Medical University
of the Ministry of Health of the Russian Federation

APPROVED BY

Head of the Department of
Obstetrics and Gynecology

 / Matyushkina L.S./
"11th" of April 2025

COLLECTION OF ASSESSMENT TOOLS

Б1.О.27 Obstetrics of the basic educational program of Higher Education

Specialty

31.05.03 Dentistry
for international students (in English)
(code, name)

Degree

Specialist's degree

Profile

02 "Healthcare"
(in the field of providing health care in
patients with dental pathology)

Mode of study

Full-time

Period of mastering the BEP

5 years
(nominal length of study)

Department

of Obstetrics and Gynecology

1. INTRODUCTION

1.1. Collection of Assessment Tools is a document that regulates the format, content, and types of assessment tools for continuous assessment, interim examination and final (state final) examination, and graded criteria for each type of assessment tools.

1.2. Assessment tools allows to evaluate the development of universal, general professional, and professional competencies (UCs, GPCs and PCs respectively) outlined in Federal State Educational Standard of Higher Education and defined in the basic educational program of higher education for the specialty 31.05.03 Dentistry for international students (in English), profile 02 "Healthcare" (in the field of providing health care in patients with dental pathology).

([BEP HE for the 31.05.03 Dentistry for international students \(in English\) specialty](#), section 3 Learning Outcomes Requirements of the Basic Educational Program of Higher Education)

2. DOCUMENT BODY

2.1. Types of Assessment, Formats of Assessment Tools

No.	Types of assessment	Assessment Tools Format
1	Continuous assessment	Tests
		Interview Questions
		Mini-Case Studies
2	Interim assessment	Tests
		Interview Questions
		Mini-Case Studies

3. The contents of assessment tools for continuous and interim examination are prepared by the teacher of the course

1. Tests for continuous and interim assessment

	Code	Competence description / name of labor function / name of work activity / text
S	31.05.03	Dentistry for international students (in English)
C	GPC-5	Is able to perform a patient examination in order to make a diagnosis when working to achieve objectives of professional activity
C	GPC-6	Is able to prescribe, monitor the efficacy and safety of non-pharmacological and pharmacological treatment when working to achieve objectives of professional activity
F	A/01.7	Examination of the patient in order to make a diagnosis
I		ANSWER LEVEL 1 TEST QUESTIONS (ONE CORRECT ANSWER)
		1. THE POSITION OF THE FETUS IS a) the ratio of the fetal back to the sagittal plane b) the ratio of the fetal back to the frontal plane +c) the ratio of the fetal axis to the length of the uterus d) the relationship of various parts of the fetus 2. THE CORRECT POSITION IS WHEN THE HEAD IS

	<p>a) bent, arms crossed at the chest, legs bent at the knees and hip joints, torso bent +b) bent, arms crossed at the chest, legs bent at the knees and hip joints, torso bent c) bent, spine unbent, arms crossed at the chest, legs bent at the knees and hip joints, torso bent d) bent, arms crossed on the chest, legs straightened in the hip and knee joints</p> <p>3. THE FETAL POSITION IS UNDERSTOOD AS +a) the ratio of the fetal back to the side walls of the uterus b) the ratio of the fetal head to the entrance to the pelvis c) the ratio of the fetal axis to the length of the uterus the length of the uterus d) the relationship of various parts of the fetus</p> <p>4. IN THE FIRST POSITION, THE FETAL BACK IS TURNED a) to the right b) to the bottom of the uterus +c) to the left d) to the entrance to the small pelvis</p> <p>5. THE TIME OF DELIVERY IS DETERMINED BY THE FORMULA +a) the first day of the last menstruation + 7 days – 3 months b) the first day of the last menstruation + 7 days-4 months c) the first day of the last menstruation + 240 days d) the first day of the last menstruation + 14 days – 3 months</p>
	<p>ANSWER LEVEL 2 TEST QUESTIONS (MULTIPLE CORRECT ANSWERS)</p>
	<p>1. SEVERE PREECLAMPSIA INCLUDES THE FOLLOWING CLINICAL SYMPTOMS +1) increased blood pressure > 140/90 mm Hg +2) presence of proteinuria >3 g/L 3) cerebral or visual symptoms 4) lower limb 5) edema of the anterior abdominal wall</p> <p>2. INTENSIVE CARE FOR SEVERE PREECLAMPSIA INCLUDES +1) anticonvulsants +2) antihypertensive medications +3) infusion therapy 4) antihypertensive 5) restricted drinking regimen</p> <p>3. CORRELATION OF THE HEIGHT OF THE UTERUS FUNDUS WITH THE STAGE OF PREGNANCY +1) 20-21 weeks = 18-24 cm +2) 28-29 weeks = 26-31 cm 3) 32-33 weeks = 31-33 cm +4) 36-37 weeks = 32-37 cm 5) 38-39 weeks = 32-34 cm</p>

	<p>4. FETAL RESPIRATORY DISTRESS SYNDROME (RDS) PREVENTION SCHEMES AT 24-34 WEEKS OF PREGNANCY INCLUDE</p> <p>+1) 2 doses of betamethasone i/m 12 mg after 24 hours +2) 4 doses of dexamethasone i/m 6 mg after 12 hours +3) 3 doses of dexamethasone i/m 8 mg after 8 hours 4) 2 doses of dexamethasone i/m 12 mg after 24 hours 5) 3 doses of betamethasone i/m 6 mg after 12 hours</p> <p>5. CHOOSE THE CORRECT STATEMENT ABOUT PREECLAMPSIA</p> <p>+1) This is arterial hypertension established after 20 weeks of pregnancy with significant proteinuria. +2) This is a multisystem pathological condition that occurs in the second half of pregnancy (after the 20th week) and is characterized by arterial hypertension combined with proteinuria (0.3 g/L in the daily urine), often accompanied by edema and manifestations of multiple organ/system dysfunction/insufficiency. 3) This is arterial hypertension established after 28 weeks of pregnancy with significant proteinuria. 4) This is arterial hypertension established after 20 weeks of pregnancy with minor proteinuria. 5) This is arterial hypertension established before 20 weeks of pregnancy without proteinuria.</p>
--	--

Assessment criteria

“Very good” - more than 90% correct answers of questions of every level

“Good” - 80-89% correct answers of questions of every level

“Satisfactory” - 70-79% correct answers of questions of every level

“Unsatisfactory” - less than 70% correct answers of questions of every level

Interview questions for interim assessment

	Code	Competence description / name of labor function / name of work activity / text
S	31.05.03	Dentistry for international students (in English)
C	GPC-5	Is able to perform a patient examination in order to make a diagnosis when working to achieve objectives of professional activity
C	GPC-6	Is able to prescribe, monitor the efficacy and safety of non-pharmacological and pharmacological treatment when working to achieve objectives of professional activity
F	A/01.7	Examination of the patient in order to make a diagnosis
I		<p>ANSWER THE QUESTIONS</p> <p>1. Structure and organization of obstetric care. Order 747H 2. Pregnancy diagnosis, examination methods in obstetrics 3. Pregnancy-related changes in the female body 4. Clinical manifestation and management of labor 5. Obstetrical bleeding during pregnancy, labor, and post-partum period</p>

	<p>6. Preeclampsia of pregnant women. Etiology, pathogenesis, clinical manifestation, diagnosis, and treatment.</p> <p>7. Emergency care for severe preeclampsia.</p> <p>8. Women's health clinic (antenatal clinic) and its role in the prevention and diagnosis of diseases and management of pregnant women.</p> <p>9. The role of the women's health clinic in the prevention of obstetrical bleeding.</p> <p>10. The role of the women's health clinic in the prevention of preeclampsia.</p>
--	--

Assessment criteria

“Very good” - more than 80% correct answers of questions of every level

“Good” - 70-79% correct answers of questions of every level

“Satisfactory” - 55-69% correct answers of questions of every level

“Unsatisfactory” - less than 54% correct answers of questions of every level

Standardized case studies and checklists for the **B1.O.27 Obstetrics** course

Case Study No.1

	Code	Competence description / name of labor function / name of work activity / text
S	31.05.03	Dentistry for international students (in English)
C	GPC-5	Is able to perform a patient examination in order to make a diagnosis when working to achieve objectives of professional activity
C	GPC-6	Is able to prescribe, monitor the efficacy and safety of non-pharmacological and pharmacological treatment when working to achieve objectives of professional activity
F	A/01.7	Examination of the patient in order to make a diagnosis
I		<p>READ THE PROVIDED CASE DESCRIPTION AND GIVE DETAILED ANSWERS TO THE QUESTIONS</p> <p>A 25-year-old pregnant woman was taken by ambulance to the city maternity hospital. She is 35 weeks pregnant. Complaints of thirst, poor sleep, headache, and nausea for the past two days. The condition first worsened 2 weeks prior. The woman refused the hospitalization offered by the doctor of the antenatal clinic because she was moving to another apartment. Physical examination results: height 163 cm, weight 78 kg. The skin is clean, pale, and the face is puffy. Pulse 96 bpm, blood pressure is 160/110, 175/120 mmHg. Moderate edema is observed on the anterior abdominal wall and lower legs. Protein in urine is 1.65 g/L. The uterus (fundal height) corresponds to 33-34 weeks pregnancy. The fetus is in the longitudinal lie; the head is the presenting part, first position, front view. Fetal heartbeat is rhythmic, 144 beats per minute, CTG – 7 points according to Fisher.</p>
Q	1	Question: What is the diagnosis?
Q	2	Question: What are the doctor's tactics in this case?

	Code	Competence description / name of labor function / name of work activity / text
S	31.05.03	Dentistry for international students (in English)
C	GPC-5	Is able to perform a patient examination in order to make a diagnosis when working to achieve objectives of professional activity
C	GPC-6	Is able to prescribe, monitor the efficacy and safety of non-pharmacological and pharmacological treatment when working to achieve objectives of professional activity
F	A/01.7	Examination of the patient in order to make a diagnosis
I		<p>READ THE PROVIDED CASE DESCRIPTION AND GIVE DETAILED ANSWERS TO THE QUESTIONS</p> <p>A 25-year-old pregnant woman was taken by ambulance to the city maternity hospital. She is 35 weeks pregnant. Complaints of thirst, poor sleep, headache, and nausea for the past two days. The condition first worsened 2 weeks prior. The woman refused the hospitalization offered by the doctor of the antenatal clinic because she was moving to another apartment. Physical examination results: height 163 cm, weight 78 kg. The skin is clean, pale, and the face is puffy. Pulse 96 bpm, blood pressure is 160/110, 175/120 mmHg. Moderate edema is observed on the anterior abdominal wall and lower legs. Protein in urine is 1.65 g/L. The uterus (fundal height) corresponds to 33-34 weeks pregnancy. The fetus is in the longitudinal lie; the head is the presenting part, first position, front view. Fetal heartbeat is rhythmic, 144 beats per minute, CTG – 7 points according to Fisher.</p>
Q	1	Question: What is the diagnosis?
A		Correct answer: Pregnancy at 35-36 weeks. Severe preeclampsia
Q	2	Question: What are the doctor's tactics in this case?
A		Correct answer: 1. Antihypertensive therapy: alpha 2-adrenomimetic (methyldopa) or calcium channel blocker (nifedipine). 2. Seizure prevention: intravenous administration of MgSO ₄ 25% (loading dose of 4-6 g of dry matter) for 1-15 minutes, followed by a maintenance dose of 1-2 g of dry matter per hour until delivery, with a subsequent extension of at least 24 hours after delivery (depending on the patient's condition). 3. Delivery by cesarean section after the patient's stabilization
R2	Very good	Complete answer to 2 of the questions is given, or there are minor deviations / need for leading (clarifying) questions from the teacher
R1	Good/Satisfactory	Complete answer to 1 of the questions and an incomplete answer to the other are given, the teacher has used clarifying questions
R0	Fail	No answers given

4. Assessment criteria for learning outcomes

"Pass" is given to a student who has shown a sufficiently strong knowledge of the basic concepts of the subject; is able to complete specific practical tasks outlined in the program with no outside help, use recommended reference material, and correctly evaluate the results.

"Fail" is given to a student who has significant gaps in knowledge of the basic concepts of the subject, is not able reach the correct solution to a specific practical task outlined in the curriculum even with outside help.

Practical Skills Assessment Checklist

Practical Skill Name: Determining the size of the pelvis

C	GPC-5	Is able to perform a patient examination in order to make a diagnosis when working to achieve objectives of professional activity	
C	GPC-6	Is able to prescribe, monitor the efficacy and safety of non-pharmacological and pharmacological treatment when working to achieve objectives of professional activity	
F	A/01.7	Examination of the patient in order to make a diagnosis	
	Action	Performed	Not Performed
1.	Measure Distantia spinarum: the distance between the anteroposterior spines of the iliac bones.	1 point	-1 point
2.	Measure Distantia cristarum: the distance between the anterior superior iliac spines.	1 point	-1 point
3.	Measure Distantia trochanterica: the distance between the large trochanter bones of the femur.	1 point	-1 point
4.	Measure Conjugata externa (external conjugate).	1 point	-1 point
5.	Measure Conjugata diagonalis (diagonal conjugate)	1 point	-1 point
	Total	5 points	

Assessment criteria:

"Pass" - at least 75% of required actions performed

"Fail" - 74% of required actions or less performed

Practical Skills Assessment Checklist

Practical Skill Name: External obstetric examination techniques (Leopold's maneuvers)

C	GPC-5	Is able to perform a patient examination in order to make a diagnosis when working to achieve objectives of professional activity	
C	GPC-6	Is able to prescribe, monitor the efficacy and safety of non-pharmacological and pharmacological treatment when working to achieve objectives of professional activity	
F	A/01.7	Examination of the patient in order to make a diagnosis	
	Action	Performed	Not Performed
1.	Determine the fundal height and part of the fetus	1 point	-1 point
2.	Determine the location of the fetal back (fetal lie) and position of the fetus	1 point	-1 point
3.	Determine the presenting part and its relation to the entrance to the small pelvis	1 point	-1 point
4.	Determine the nature of the presenting part and its location in relation to the planes of the small pelvis	1 point	-1 point
	Total	4 points	

Assessment criteria:

"Pass" - at least 75% of required actions performed

"Fail" - 74% of required actions or less performed